

Project	Project ID	Created by	Created on	Last update
			4/4/2019	

FP 3202 MT 3~ 640



Кривая рабочей характеристики

Насос

Диаметр выхода 200 mm
Диаметр всасывающего фланца 250 mm
Impeller diameter 376 mm
Количество лопастей 2

Motor


Двигатель F3202.350 30-23-6AA-W 30KW
Тип статора 1
Частота 50 Hz
Ном/напряжение 380 V
Число полюсов 6
Фазы 3~
Ном. мощность 30 kW
Номинальный ток 59 A
Пусковой ток 300 A
Ном. скорость вращения 970 rpm

Коэффициент мощности

1/1 Load 0,87
3/4 Load 0,84
1/2 Load 0,76


Motor efficiency

1/1 Load 88,5 %
3/4 Load 89,5 %
1/2 Load 90,0 %




FP 3202 MT 3~ 640

Duty Analysis



Project	Project ID	Created by	Created on 4/4/2019	Last update
---------	------------	------------	------------------------	-------------




Project	Project ID	Created by	Created on 4/4/2019	Last update
---------	------------	------------	------------------------	-------------

Project	Project ID	Created by	Created on 4/4/2019	Last update
---------	------------	------------	------------------------	-------------

FP 3202 MT 3~ 640

Dimensional drawing



Only for 6-poles.

* DIMENSION TO ENDS OF GUIDE BARS

FP, NP 3202.090, 095, 180, 185, 350, 390, 660, 670 MT

Dimensional dwg

FP, NP 3202.090, 095, 180, 185, 350, 390, 660, 670 MT

Project	Project ID	Created by	Created on	Last update
			4/4/2019	